

To: Enck, Judith[Enck.Judith@epa.gov]
From: Google Alerts
Sent: Thur 1/5/2017 8:01:33 PM
Subject: Google Alert - PFOA

PFOA

Daily update □ January 5, 2017

NEWS

New cluster of Bedford homes being given bottled water after high PFOA levels found

WMUR Manchester

WEBVTT BEDFORD BEFORE ONE CONCERNINGTEST TURNED UP. THE DEPARTMENT OF ENVIRONMENTALSERVICES HAS BEEN KEEPING ...

New cluster of Bedford homes being given bottled water after elevated PFOA levels found - WMUR Manchester

Saint-Gobain balks at water lines - Bennington Banner (subscription)

Water contamination discovered at more Bedford homes - The Union Leader

Full Coverage

   [Flag as irrelevant](#)

State addresses water quality concerns

Times Herald-Record

In two Rennselaer County municipalities, PFOA levels traced to manufacturing facilities shuttered a public water supply and private wells.

   [Flag as irrelevant](#)

Water testing in Coupeville results trickle in after Navy conducts its own test

South Whidbey Record (subscription)

Navy testing found that PFOA was detected at 61 parts per trillion at the ... The town's results, which were received earlier this month, found PFOA at 59 ...

   [Flag as irrelevant](#)

larc says 1,2-dichloropropane is carcinogenic to humans

Chemical Watch (subscription)

In June, US Senator Kirsten Gillibrand (D-New York) urged the EPA to prioritise a regulatory assessment of PFOA under the new TSCA, the country's ...

   [Flag as irrelevant](#)

Seeking a right to safe environment

The River Reporter

Many of the residents in Hoosick Falls have elevated levels of PFOA in their blood, and the state is performing studies to see if there are elevated ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)